

Air pump

Air pump

SC-AP

Compact high capacity linear air pump with low current draws, low vibration and quiet performance.

Features:

Automatic thermal protection.

Diaphragm failure detection and protection.

Fail-safe construction.



AIR PUMP

SC-AP-15A (Pressure)

- Voltage, Freq: 120V 60Hz
- Rated Pressure: 0.1 bar (1.4 psig)
- Rated Performance: 17.5 lpm
- Rated Current Draw: 0.2 A
- Rated Input Power: 14 W
- Sound Level: 29 dB
- Weight: 2.4kg (5.4 lb)
- Dimension: 150mm L x 130mm W x 111mm H



AIR PUMP

SC-AP-15B (Vacuum)

- Voltage, Freq: 230V 50Hz
- Rated Pressure: 0.1 bar (1.4 psig)
- Rated Performance: 15 lpm
- Rated Current Draw: 0.2 A
- Rated Input Power: 14 W
- Sound Level: 29 dB
- Weight: 2.4kg (5.4 lb)
- Dimension: 150mm L x 130mm W x 111mm H



AIR PUMP

SC-AP-40A / SC-SA-40B

- Voltage, Freq: 120V 60Hz / 230V 50Hz
- Rated Pressure: 0.15 bar (2.18 psig)
- Rated Performance: 48 lpm / 40 lpm
- Rated Current Draw: 0.8 A / 0.5 A
- Rated Input Power: 46 W / 40 W
- Sound Level: 36 dB
- Weight: 5.6kg (12.5 lb)
- Dimension: 205mm L x 173mm W x 202mm H



AIR PUMP

SC-AP-120A / SC-SA-120B

- Voltage, Freq: 120V 60Hz / 230V 50Hz
- Rated Pressure: 0.2 bar (2.9 psig)
- Rated Performance: 120 lpm / 110 lpm
- Rated Current Draw: 2.2 A / 1.1 A
- Rated Input Power: 132 W / 126 W
- Sound Level: 42 dB
- Weight: 8.3kg (18.2 lb)
- Dimension: 248mm L x 205mm W x 245mm H



AIR PUMP

SC-AP-400A / SC-SA-400B

- Voltage, Freq: 120V 60Hz / 230V 60Hz
- Rated Pressure: 0.2 bar (2.9 psig)
- Rated Performance: 435 lpm / 420 lpm
- Rated Current Draw: 7.7 A / 3.6 A
- Rated Input Power: 499 W / 402 W
- Sound Level: 49 dB
- Weight: 22.18kg (48.89 lb)
- Dimension: 420mm L x 248mm W x 262mm H



No relation
Price Â£ 0.00